

# Section 11

Caps & Dipsticks .....	2, 7-9
Filters/Breathers .....	12-17, 20
Guage Kits .....	10-11
Hose/Clamps/Tool .....	21-24
Oil Coolers .....	18-19
Oil Line .....	21-24
Oil Tanks and Covers .....	2-6
Pressure Gauge .....	10-11
Stainless Steel Lines .....	21-23
Temperature Gauge .....	7-9

# Oil Tank



## FL/FX Chrome Oil Tank

Reproduction of the original oil tanks for all FX and FL 4 speeds 82-86. Note: 82-86 use #28921 battery carrier.

### PCP Description


- 77955** BT 82-86 (no filter cavity) (62504-82)
- 3296** Chrome oil tank cap assembly (62610-52A)
- 77005** Chrome oil tank plug
- 939** Chrome 5" oil tank temperature dipstick



## Chrome Oil Tank Cap Assembly

Fits the original style oil tank on all 4-speed models to 86 (except FXST).

- 3296** Cap (62610-52A)



## Rubber Mounting Studs

This is just the answer for custom builders. These studs are perfect for mounting gas and oil tanks.


- 1154** 62563-65 (10 pack)
- 23006** Rubber w/internal spring (10 pack)



## Custom Polished Aluminum 5 Quart Oil Tanks

Complete with mounting hardware and oil line fittings. Fits 74". Measures approx 8-7/8" long x 6-1/4" diameter.

- 6252** Tank only
- 6253** Tank with an integrated spin-on oil filter
- 2501** Replacement filter element



## Chrome Iso Mount Kit

Kit includes two 1/4 x 20 Iso mounts and two chrome billet covers.

- 44157**



## Iso-Mount Chrome Cover

Covers black 1/4" Iso studs. Pair.

- 44069**



## Rubber Mounting Studs

Rubber mounts for oil tanks, battery trays, and other applications. Replaces 62563-65. Complete with mounting hardware.

- 72333** Set of 2.

# Oil Tank



## FXR Chrome Oil Tank 82-94

For FXR 82-94 except 86-on FXR Super Glides.

**77961** 62406-81



## Clean Change Oil Drain System

Mess free oil change for FXR-FXRS-FXRT 86-91. Kit includes chromed brass needle, drain hose, tie-wraps, chromed steel left side mount bracket and bolts. (HD-B)

**77023**



## Chrome Trans & Oil Drain Magnetic Plug

Fits BT 00-on with 1/2-13 thread. Replaces 60328-98A.

**72295** Custom dome head

**72296** Stock style



**77948**



**77949**



**77940**



**77964**

## Sportster® Oil Tanks

Fits right side of all Sportster® models from 83-on except models with deluxe touring seat.

Black	Chrome	Description
<b>77948</b>	<b>77949</b>	83-93 883-1200 (62475-83)
<b>77993</b>	<b>77960</b>	94-96 (62475-94)
<b>77940</b>	<b>77964</b>	97-03 (62475-97)
-	<b>77991</b>	04-09 (62888-04)
	<b>77007</b>	Dipstick 2 5/8" 82-03 (62595-82A)



**45360**



**59506**

## Chrome Sportster® Oil Tank Covers

One piece form fit cover for XL 83-on except models with deluxe touring seat.

PCP	Description
<b>45360</b>	83-93 attached by springs
<b>45361</b>	94-03 attached by clips
<b>59506</b>	04-13 (66262-04)



**45361**



**1760**

**1761**

## Oversize Drain Plug & Tap Kit

Contains 1 chrome plated dome head plug with an oversize thread and one tap for rethreading the stripped out drain hole. Fits O.H.V. Big Twin Harley Engines 65-on.

**1760** Kit

**1761** Oversize drain plug only

# Oil Tank



## Softail Oil Tanks

Replaces 62498-86. 4 Spigot type for FXST, FLST 89-99. Has welded seams. Steel tank with built-in battery tank.

**77950** Primer

**77951** Chrome (62498-89)



## FXST Oil Tank w/Center Fill 87-99

**77959**



**77985**

## Chrome FXST Oil Tank 89-99

Is three quart with bottom exit hose fittings, battery box dimensions of 7-7/8" L x 4" W for 87-99. Some years may require "T" fittings for oil drain. Order bracket kit separately.

**PCP** Item

**77986** Tank

## FXST Oil Tank

Center fill, 4 spigot type for FXST 89-99. 3 quart.

**77979** Raw

**77985** Chrome



## FXST-FLST Oil Tank Mounting Kit

This kit includes all parts pictured for 84-99 mounting of oil tank to Softail style frames. Replaces 62707-84, 62704-84.

**40102** Kit

## FXST 'Winged' Oil Tank 84-99

Chrome oil tank with winged extension to fill in the gap between frame and oil tank.

**77975** Side fill cap

# Oil Tank



## Wrap Around Oil Tanks for 250 Frame

14" Wide tank for custom Softail or Rigid frames 86-99. Features top mount ISO design. Bracket must be welded on. Some fitting required.

PCP	Description
77941	Chrome



77977

## Oval Oil Tanks

Will mount to stock or custom Softail frames right or left side belt drive applications. Tanks accept stock battery. Order bracket set separately. **Will fit left or right side drive for 200-300 wide frames.** Measures 13 1/4" L x 7 1/2" W x 4 1/2"H.

PCP	Finish
77977	Chrome
40102	Brackets
10615	Drain Plug



## FXST Chrome Oil Tank Mount

Contour design fits stock and custom FXST frames 86-99.

40105	Kit
27374	Rear mount only



## Softail 00-17 Chrome Oil Tank

Fits FXST-FLST models. Replaces 62498-00A

77983	Oil Tank
59495	Chrome top mount
40106	Mount kit



77939




77992

## FXST Center Fill Tank 89-99

Features threaded insert on top for stock or custom mounting.

PCP	Finish
77939	Chrome
77992	Black



## FXST Battery Hardware

For Softail 84-99 models.

PCP	Description
4981	Strap 84-92 (66105-77)
23043	Clamp pad 93-99 (66004-93)
23044	Front strap 93-99 (66109-93)
23045	Rear strap 93-99 (66111-93)
16241	Vent clamp (10067) (10 pack)
66130	Tray insert 86-96 (66210-85B)
23046	Tray insert 97-99 (66210-97)
23070	Tray insert 00-06 (66210-00)
66131	Pad (66309-84, 66103-74A) (pair)



# Oil Tank



## Chrome Oil Tanks

Fits FXST frames 86-99. 3 US Quarts.

PCP	Oil Fill	Shape	Finish
77942	Centre	Hex	Chrome
77945	Centre	Custom	Chrome

## Steel Round Oil Tank 86-99

Fits FXST style Rigid and stock FXST frames. Utilizes stock front and rear FXST mount. Top brackets must be fabricated for installation for use with custom frames (order bracket set separately). Mount frames are 5" apart.

- 77981 Raw tank  
40102 Bracket kit only



## Rocket Oil Tanks

5" Diameter Oil tanks to fit Rigid or Softail 86-99.

PCP	Finish	Lines
59693	Chrome	Left
59694	Raw	Left
77933	Chrome	Right
77934	Raw	Right
10615	Drain plug	

## 3.5QT Round Oil Tank for Softail 00-06

Side fill oil tanks are 11.75" long and 6.5" in diameter. Fits Softail 00-06 models. Requires removal of coil bracket and relocation of coil and custom oil lines.


- 77997 Chrome (Side Fill)  
77994 Raw  
77996 Raw w/cap  
40106 Mount kit



## Oil Drain Valve

Made from '6061' alloy with a natural finish. Remove stock drain plug (5/8-18TPI) and install the alloy unit (tighten 3/4"). Attach a 1/2" i.d. oil drain hose (from fitting to oil collection pan). Loosen fitting and oil begins to drain. After draining tighten fitting until it is seated and remove the drain hose. Oil draining is done with the 1/2" wrench surface.

- 10524 Each



## Drain Plugs

B. Fits XL trans, motor, oil tank and BT 37-86 trans. 1/2"-13

- 5259 Chrome  
5260 Cad

C. Chrome plug with gasket for 81-on BT with 1/2"-20.  
5258



**NEW ITEM  
COMING SOON**

## Chrome Oil Temperature and Level Dipstick

Lighted LCD readout, Celcius or Farenheit operation.

- 77086** FXD 06-17
- 77087** FXST, FLST 00-17
- 77089** XL 04-on



## FLT Digital Oil Temperature Dipstick

Chrome hex shaped gauge with lighted LCD display and replaceable battery. Fahrenheit or Celsius readout.

PCP	Application
<b>77083</b>	17-on
<b>77063</b>	07-16
<b>77062</b>	99-06



## Nasty Boys FXD Low Profile Oil Pan

Fits Evolution Dyna models

**36925**



## Chrome Transmission Dipstick

Allen key head design for easy installation and removal. Fits FXD 06-on and FLT, FLST & FXST 07-on.

**77082**

# Oil Cap



## Chrome Oil Caps

Fits FXST and FXE tanks.

PCP	Type	Fitment
77005	Chrome	FL, FX 70-on (62625-70)
59305	Maltese	FXST, FXE models
77071	Flame	Softail 85-99



## Oil Tank Chrome Dipsticks

Rubber plug-in type with chrome cap to fit stock or custom tanks.

PCP	Fitment	Type	Description
77006	FL, FX 70-on	Plain	5" probe (62625-70, 62644-84T)
77021	XL 79-03	Plain	Short stem (62595-82A)
77046	XL 79-03	Maltese	2.5" stem
77049	FXST 84-99 XL 79-03	Maltese	2-5/8" stem



## Chrome Oil Fill Dipsticks

PCP	Type	Year
77051	Knurl	93-99 (62640-93)
77066	Skull	93-99
77002	Hex	07-16
77079	Flame	07-16

## Softail

PCP	Type	Year
77071	Flame	85-99
77074	Skull	00-up
77075	Flame	00-up
77072	Dome	00-06

## FXD-FXDWG

PCP	OEM	Years
77004	Skull	99-05
77050	Knurl	91-98
77060	Skull	06-12

## Oil Temperature Dipstick

Short style temperature dipstick with 2-3/4" probe. White face with black numbers. Fits FXST 84-99, FLST 86-99 and XL 79-03.

77081



## T/L Chrome Oil Tank Dip Stick

Fits XR 1200 08-on models.

77033 63008-08



# Dipstick



## Oil Temperature Dipstick

- Feature LCD read out for Softails.
- Push button for 5 second readout.
- Red light indicates extreme temperature! over 275 degrees.

PCP	Year	
77025	84-99	Big Twin & FXST (2-1/2" probe)
77017	00-06	FXST (2-3/4" probe)
77026	84-03	Sportster



## Oil Temperature Dipstick

### Features

- Lighted LCD readout
- Fahrenheit or Celsius operation
- Replaceable Battery

Hex	Year	Model
77062	99-06	FLT
77063	07-08	FLT
77064	07-08	Softail
77065	06-12	FXD
77032	04-on	XL (62595-82A)

## Oil Temperature Gauge

Fits Softail tank 84-99.

PCP	Type
77010	Digital



## Billet Temperature Dipstick

Liquid filled analogue temperature gauge with a white face.

PCP	Fitment
77076	FXST 84-99 and FLST 86-99
77077	FXST and FLST 00-06



## Oil Dipstick with Temperature Gauge

XL 04-on. 50 to 350 degrees.

77022 XL 04-on w/1-5/8" probe

## Oil Plug Temperature Gauge for Stock

This highly accurate gauge quickly responds to oil temperature up to 350°F. Fits most stock and custom tanks for most models with plug-in oil cap. Measurements provided are for probe length.

PCP	Description
939	5" For many models FLT 80-86 (62635-79T)
48101	5" For FLT 87-92 & FXR/T 84-94 (black) (62666-87T)
77058	5" For FLT 87-92 & FXR/T 84-94 (white)
48102	2-5/8" For FXST, FLST 84-99 (62668-87T)
48104	2-7/8" For FXST, FLST 00-06 (except FXCW/C, FXSTSSE3) (62896-00)
77059	Black temperature gauge FXST-FLST 00-12
79004	O-ring for stock dipstick FXST 00-06 (25 pk) (11345)
14597	O-ring for stock dipstick FXST 00-06 (10 pk)

# Oil Gauge



77018



77055



77001



77056

## 1-1/2" Liquid Filled Oil Pressure Gauges


Weather resistant sealed lens, stainless steel case, chrome rim and extra heavy mechanism. Liquid filled face eliminates needle bounce giving a constant reading. All gauges have 1/8" NPT male rear fitting.

PCP	Pounds	Face
77018	0-60	White
77055	0-60	Silver
77001	0-60	Blue
77056	0-60	Black

Air Filled  
77013 0-100



77013



## Accel Liquid Filled Oil Pressure Gauges

1.5" Stainless steel housing, glass lens and solid brass internals. 1/8" NPT rear mounting gauges are available in on 2 PSI ranges.

77016 0-60 PSI  
77024 0-100 PSI



## TC Oil Pressure Gauge Kit

Includes oil filled gauge, chrome mounting bracket and mounting hardware. Fits Dyna 99-05, FLHT, FLHR 99-05 and FXST-FLST 00-on. Will not fit with billet rocker covers.

29423 75133-99



77029



27100



27101



27102



27103

## Oil Pressure Adaptor for Evo Motors

Manufactured from 6061 T6 aluminium. 1 hole adaptor is for a pressure gauge & 2 hole adaptors are for a pressure gauge and the stock sending unit. Easy to install. Use teflon tape on the threads and tighten to the nine o'clock position for the stock oil light gauge. Stock exhaust with cross-over tube may interfere.

### 2 Hole for Light Unit & Pressure Gauge

27100 2 hole version (silver anadize)  
27101 2 hole version (black finish)

### 1 Hole for Pressure Gauge Only


27102 1 hole version (silver anadize)  
27103 1 hole version (black anadize)

## Mini Oil Gauge Kit 84-99

Includes 1" mini gauge and chrome fitting.

PCP Description  
77029 Kit for Evo BT 84-99  
77020 1/8" NPT gauge only





## Evolution Oil Gauge

Rocker box mounted gauge can be read while sitting on cycle. Complete kits include a liquid filled gauge, chrome steel line and hardware for installation. The kit is also available with lower fitting allowing stock oil pressure sender unit to be retained in conjunction with oil pressure gauge. Also replaces the sender unit.

PCP	FXST-FLST-FLT 84-99, FXR 84-94, FXD 91-99
77052	1" Mini kit (eliminates pressure sender)
77053	1½" Gauge kit (no oil pressure sender)
59528	Line only (no gauge)
59529	Complete kit w/sender adaptor



## Deluxe 1.5" Liquid Filled Oil Gauge Kit

Includes stainless steel gauge with chrome rim and fittings.

PCP	Application
77111	Evo XL 85-90 head mount

## Sifton Rocker Box Oil Pressure Gauge Kit

Feature 0-60lb liquid filled pressure gauge, case fitting which allows retention of oil pressure switch for indicator light with chrome bracket and screw to mount to head. Kit includes stainless steel line.

PCP	Application
77041	Evo 84-99
77042	TC 00-on
77043	XL 91-03
77109	XL 86-03 gauge mount and hardware kit (no gauge)
77110	XL 91-03 24" stainless steel oil gauge line
77108	XL 04-on



## Rocker Box Mounted Oil Gauge Kit BT 84-99

Kit includes a complete liquid filled gauge, chrome steel line and hardware for installation. Kit is available with lower fitting allowing stock oil pressure sender unit to be retained in conjunction with oil pressure gauge. For FXST-FLST-FLT 84-99, FXR 84-94 & FXD 91-99.

77035	With out pressure sender
77036	With oil pressure sender





# Oil Filter



## Spin-On Oil Filters

Spin-on oil filters come complete to replace the stock filter unit with no adapting. Available chrome or painted.

Chrome	Black	Application
2501	3839	BT 4-speed 82-86, all accessory type filter kits (63782-80, 63810-80)
2500	3841	XL 85-on, FLT 80-98, FXR 82-94, FXST 84-98 (63796-77A, 63806-80T)
77221	77220	Taller filter for Dyna 91-98 (63813-90, 63812-90)
77222	77223	M8, TC 99-on, XL 04-on (63798-99, 63731-99)
77213	77212	VRSC 02-17 (63793-01K, 63793-01K)



## Magnetek Chrome Oil Filters

Features a magnetic ring in centre tower to trap particles less than 10 microns which could have escaped through the filter wall. Available in stock style or with built in hex nut.

Hex	Stock	Application
-	77230	FX 82-86 (63782-80)
77244	77231	FXST, FLT 5 speed 80-99, XL 84-on (63796-77)
77245	77232	Dyna 91-98 (63813-90)
-	77242	VRSC 02-17 (63793-01)
77247	77243	M8, TC 99-on (63798-99)



## Hex Nut Spin-On Oil Filters

Available in chrome or black. Hex nut style allows for easy installation and removal. All PCP filters are a low restriction type filter. All K&N filters feature improved pressure relief valve, anti-drain back valve except as noted\*. and heavy duty base plate with improved rolled seal.

PCP	K&N	Finish	Size	Application
77233	77224	Chrome	Short	80-E84 (63782-80T)
77235	77226	Chrome	Tall	L84-on Evo (63796-77)
77234	77227*	Black	Tall	L84-on Evo (63805-80T)
	77228*	Chrome	Tall	Dyna 91-98 (63813-90)
77236		Black	Tall	Dyna 91-98 (63812-90)
77238	77249	Chrome	Short	M8 17-18, TC 99-17, XL 04-13 (63798-99)
77239	77248	Black	Short	M8, TC 99-on, XL 04-13 (63731-99)
77241	77214	Chrome		VRSC 02-17

\*Do not have anti-drain back valve.



## S&S Oil Filters

Captures smaller particles than stock filters. Low restriction oil flow. Direct bypass (bypass oil does not pass over dirty filter media). Smaller diameter for easy installation.

Chrome	Black	Micron	Application
314102	314101	30μ	BT 84-99, XL 86-on & Buell 91-02 (63796-77A)
314104	314103	10μ	M8, TC 99-on and X-Wedge with anti-drain back valve (63796-77A)

# Oil Filter



## Pura-Flow Oil Filter Kits

Full flow automotive style spin-on oil filter kits. Kits include a chromed heavy-gauge steel bracket, chrome oil filter, and all required hoses and clamps.

**4685** Fits all Big Twin 36-99

**2500** Chrome filter for above kits



## Pura-Flo Universal Clamp On Oil Filter

Includes filter and hose.

**59444**



## Oil Cooler-Filter Kit

Includes chrome canister filter FLT type, finned aluminum mounting flange, with hose and clamps. Mounts to most Sportster XLH or FX-FL's.

**77440** Filter kit

**2500** Chrome filter



## Perf-Form Oil Filters

Top quality, made in USA spin on filters for models from 80 to present.

The 2-1/2" filter features 24 square inches more pleated paper than comparable filters, and an anti drain back valve not found on most other filters. Fits BT 4-speed L82-86

**PCP Description (HD-3)**

**77302** Same as above chrome (each)

The 3-1/2" filter is one inch longer than stock to increase the oil capacity of the system. Fits all 5-speed models (Dyna 87-89 and FXST 87-98), Sportsters L84-03, Softails 84-86 and most Harley Davidson accessory oil filter kits.

**PCP Description (HD-2)**

**77204** Black (each) (63805-80A, 63806-83)

**77304** Chrome (each)

5-1/2" Tall version fits Dyna Glides 91-98

**PCP Description (HD-4)**

**77206** Black (each) (63812-90)

**77306** Chrome (each) (63813-90)

M8, Twin Cam and fuel injected models, 3-1/2" long. 99-on

**PCP Description (HD-2C1)**

**77310** Chrome (each) all M8, TC 99-on, XL 04-on with anti-drain back valve (63798-99)



## FXST Style Oil Filter Kit

Frame mount kit features FXST L84 styling. Bolts directly behind shifter plate on all FX-FL-FLT 70-on and custom applications for Softail 84-99. Can be used as easy access auxiliary unit in addition to filter in tank. Inlet and return lines are stamped on bracket. Includes chrome filter and 6' of rubber hose.

**4847** Kit with hose

**2500** Chrome filter

**3841** Black filter



# Oil Filter



## Perf-form Spin-on Oil Filter Cooler to 99

Filter cooler mounts directly to any 3/4" x 16" thread spin-on filter mount. Cooler includes finned aluminum canister housing, stainless steel nut plate, port nut, seals, 3 disposable replacement filter cartridges, and a socket filter wrench for mounting and cartridge replacement.

### PCP Description

- 77028** Black filter cooler for all models including fuel injected models (HD-CXIB)
- 77216** Replacement filter cartridge for cooler listed above

## Oil Filter Wrench

Fits all spin-on filters. Has 3/8" drive. All models including TC.  
**59252**



**77250**



**77205**

## Replacement Fuel Filter

OEM style replacement fuel filter.

### PCP Application

- 77250** Softail 01-07, FLT, FLHT, FLHR 02-07
- 77205** XL 883 & 1200 07-on.



## Front Mount Filter

This kit incorporates filter and regulator mount for BT 75-99 and FXST-FLST 86-99. Includes chrome filter, hose fittings, and chrome billet base.

- 77442** Complete kit
- 2501** Chrome filter (imported)
- 77302** Chrome filter (Perform)



## Combination Oil Filter Wrench

Includes drain plug hex at opposite end.  
**26168**

# Oil Filter Kit



**FXST Offset Filter Adapter**  
59648



**Radii Contour Oil Filter Bracket**

Long design covers oil lines and connections. Fits Evo Softail 92-99 and S&S cases and motors with the mount holes. Includes filter.

**77462**



**Contour Oil Filter Bracket**

Bracket is 1/2" thick with external fittings for Softail 92-99 engines.

**59170**



**77467**



**59106**

**59105**

## Oil Filter Adaptors

**PCP Application**

**59105** XL 86-90, FXR 82-99, FXD 92-99, BT 84-99  
**59106** TC, FXD, FXST 99-17; EVO 84-on, FLT 98-on  
**2500** Chrome filter for above models listed  
**25290** Rubber base seal



**77469**

## Radium Engine Oil Filler Kit

CNC machined billet aluminum. Thread-in one piece dipstick which eliminates blow-out on acceleration.

**PCP Application**

**77467** FLT 93-98

**77468** FLHT 99-01

**77469** FLHT 02-06

# Oil Filter Kit



## Chrome Oil Filter Housing BT 92-99

Fits BT 92-99 models when the filter bolts to the right side of the engine.

### PCP Description

- 77444** Chrome housing kit w/lines
- 77030** Return tube (33519-92A)
- 10594** Tube connector (63523-92A)
- 14106** Seal (63528-92)
- 79457** Seal, James (63528-92) (5 pack)
- 10501** Nut (63530-92)
- 77221** Chrome filter FXDG 91-98, Dyna 91-98
- 2500** Chrome filter FXST 82-on
- 9821** Allen mount kit
- 10051** Oil filter adaptor FXST-FLST 95-on (26352-95A)



## Chrome Oil Filter Housing

Fits Big Twin models 91-99 when the filter bolts to the right front side of the engine.

- 77441** Chrome housing only 92-99 (26381-92)
- 77221** Chrome filter, FXDG 91-98 (63813-90)
- 2500** Chrome filter (63796-77A)
- 10501** Male nut fitting BT 92-98 (63530-92)



## Chrome Oil Filter Housing Covers

These stamped steel covers were designed to fit over the OEM oil filter housing on your late-model Big Twin. They "dress up" the right side of your ride and install in minutes. The later version is held in place with silicone (included in the kit) and the earlier version is pinched between the frame and the filter housing when the mounting bolt is tightened.

### PCP Description

- 45043** 86 Heritage Softail, all Softail models 89-91
- 45044** Softail 92-99



## Oil Filter Customizer Dress Up Kit

Includes chrome covers for oil filter housing, tappet blocks and oil pump on BT 1340 models 92-99.

**45426**




## Chrome Oil Filler Spout

Fits FLT 93-06 models.

**45349**

# Oil Filter Kit



## Chrome Housing and Filter Kit TC "A" 99-06

Kit fits Twin Cam 88 "A" models FLT 99-06 and FXD 99-05.

**77034** Kit

**9939** Allen mounting kit



## Original-Style Accessory Oil Filter System

Chrome replacement for 63800-48 can be fitted to FXST 84-99 with bracket #3321. Oil lines must be fabricated for these applications. Order brackets, lines and fittings separately. Features slip on hose fittings which can be substituted with screw in fittings to accept metal lines.

**PCP Fits**

**3293** Chrome oil filter assembly includes complete gasket kit and filter element (63800-48 and 63800-58)

**25606** Complete gasket kit for oil filter assembly

**3290** Filter element (63840-48A) (each)



## Colony Mount Kit

**9938** Acorn filter adapter Dyna 99-on

**9949** Oil hose cover Dyna, FLT 99-on



## Chrome Oil Filter Mounting Brackets

Steel bracket mounts an accessory oil filter. They were designed for use in conjunction with oil filter kit 3293. Available for both rigid and swingarm original equipment 4-speed frames as well as Softail® models from 1984 to present.

**PCP Fits**

**2682** 4-speed BT 65-86 except FXR & Softails (oil lines must be made)

**3321** Softail® 84-99



## Sifton Chrome Oil Line Adaptors

Adaptors allow 3/8" rubber or braided oil lines to be connected to TC88B motors. The inside of these adaptors are designed to function as a compression fitting. 3 piece set. Hex size is 1" with 3/4 threads into case.

**59055** 3/4" Thread TC88

**73591** 1/8" NPT Thread Early

**73592** 1/4" NPT Thread TC88



# Oil Cooler



## Chrome Billet V-Cooler

Cooler measures 4-1/8" wide at top and each tube is 10.5" long and 1-1/8" in diameter. Cooler mounts to front frame tubes.

PCP	Application
59209	Cooler
73530	1-1/4" Frame clamp set
73531	1-1/8" Frame clamp set
73676	1" Frame clamp set



59440



59443



## Sifton Oil Cooler Kit

Includes billet dual tube vertical oil cooler with billet mount clamps. It measures 10" long and 4 1/8" wide at the top. Also included are stainless steel braided lines with four chrome seal ends.

PCP	Model
59440	FXST and FLST 00-17
59441	FXD 00-06 (clamps 1-1/4" down tubes)
59443	FXST 86-99
59742	FLT 98-16 (clamps 1-1/8" down tubes)
59648	Housing 99-on



59742



59181



77466

## Dual Cool Chrome Oil Cooler

Features reversible top bracket. 1-1/8" Diameter canisters.

PCP	Size	Finish
59181	9"	Chrome
77466	7"	Black

Clamp	Size
73531	1-1/8"
73676	1"



59824



77471

## Sportster Dual Cool Chrome Oil Cooler

Includes stainless steel hose and adapter fitting for engine to allow use of included oil filter. 1979-on models may require bracket modification. **Note:** Brackets included also sold separately.

PCP	Year
59824	04-on
77471	79-03
17278	Bracket 82-on
27005	Custom bracket XL 57-03 (except 1200S & 1200C)



# Oil Cooler



## Billet Twin Cooler Set

Two independent 1-1/8" cooler canisters with four billet mounting clamps for 1" front frame tubes.

**77470**



## Chrome Horizontal Mount Oil Cooler

Oil cooler fits 85-94 FXR, 84-13 FLT and Softail models.

**77454**



## FXST Oil Cooler Clamp Kit

Mounts standard Lockhart coolers. Includes 2 rubber-lined clamps.

**27500** 62408-87



## XL Sifton Oil Cooler

Replica style custom oil cooler available in black or chrome.

**PCP Finish**

**21637** Black

**21636** Chrome



**77443**



**77448**

**77473**



## Vertical Mount Oil Coolers

Oil cooler features multipass oil flow configuration with turbulators in each oil passage way and mini-louvered air fins. Fits FLT 84-13, FXR 82-94, FXST-FLST 84-99 and XL 57-03 models.

**Deluxe Slim Line Chrome Brand**

**77443 77448 77473 Sifton**

# Breather/Filter



## Crankcase Breather Assembly

Mount your breather in plain view instead of hiding it behind your engine or transmission case. Comes complete with a one-piece filter molded to a lightweight chrome end cap, a chrome zinc die-cast mounting base with 5/16" inlet and a hose clamp. The hose clamp holds the filter to the base when the vent hose is installed. For custom applications when stock air cleaner is removed.

- 77101** Complete assembly  
**4634** Replacement filter ONLY as shown (no chrome)  
 2" diameter x 1-1/2" height



## Oil Pre-Filters

Pre-filters are constructed of machined alloy with a #40 mesh screen installed to trap large debris and a circular magnetic collar to collect ultra fine ferrous particles, before they reach the engine. The pre-filter unit can be installed in the following locations for 3/8" I.D. oil line:

- Supply line before engine, all models
- Primary scavenger return line on early FLH and FX
- Return line to oil tank on XLCH, FL, EL, UL and models without a factory filter
- External oil return on high pressure heads
- Any high pressure supply or return (use the pre-filter with the 1/8" NPT threaded body)

### PCP Custom Application

- 17504** With 1/8" NPT threaded body  
**17505** With 3/8" barbed end



## Oil Line Filter Kit

Includes filter and compression fittings for 3/8" SS hose.  
**73590**



## Chrome Billet Crankcase Breather

Includes 1/8" NPT fittings. Custom application for BT and XL.  
**77106**




## Sifton Braided Hose Crankcase Breather Kit

Includes a 3/8' I.D. braided stainless steel hose, breather filter with mounting stud & hardware. Air cleaner and carb support bracket must be purchased separately. Fits FLT, FXD, FXST, FLST 93-on; FXR 93-94 & XL 91-on custom applications only.

- 77421** Complete kit including hardware  
**73500** Mounting hardware only

## Pro Just Relief Cap

Without oiler for 81-99 models.  
**30401**



# S.S. Oil Line



## Russell Oil Pressure Lines

Chromed braided stainless steel lines include a 1 piece fitting that makes installation a breeze. Use to replace the plastic line that runs from the oil pressure guage to the motor.

### PCP Application

**77659** Evo BT 84-99

**77660** XL 93-on

**77661** Dyna 99-on, Softail 00-on, FLHT, FLHR 99-on



## Russell Pro System Oil Line Kits

Pre-assembled kits designed to replace stock factory hoses and hose clamps. Stainless braided hose with chrome hose ends with a compression fit sealing system to ensure a positive seal.

### PCP Application

**77632** Softail L92-99

**77637** XL Sportster 94-02

### Lines Per Kit

4

3

## Russell Pro-System Twin Cam Vent Lines

Chromed stainless steel lines are designed to replace the unsightly stock rubber hose that runs from the motor to the transmission. Kits include all necessary fittings.

### PCP Application

**77656** FXDL, FXDWG 99-02, FXDS Conv 99-01, Super Glide FXD and FXDX 99-02

**77658** FLHF/FLT/FLH 02-06



## Russell Universal Pro System Oil Lines

Pre-assembled oil lines are sold each. Perfect for custom bike applications. Stainless braided hose with crimped on chrome ends. Hose ends feature compression fit sealing system which ensures a positive seal. These lines are compatible with standard 3/8" oil pump and oil tank fittings.

PCP	Size	PCP	Size	PCP	Size
<b>77641</b>	8"	<b>77647</b>	14"	<b>77653</b>	22"
<b>77642</b>	9"	<b>77649</b>	16"	<b>77654</b>	24"
<b>77643</b>	10"	<b>77650</b>	17"	<b>77655</b>	26"
<b>77644</b>	11"	<b>77651</b>	18"		
<b>77645</b>	12"	<b>77652</b>	20"		
<b>77646</b>	13"				

## Russell Chrome Tube Seal Hose Ends

Finish the look of your hose with these easy to install chromed, aircraft quality aluminum ends.

PCP	Size	ID	Qty
<b>77697</b>	#4.5	1/4"	6 pack
<b>77698</b>	#6	5/16"	6 pack
<b>77699</b>	#7	3/8"	6 pack



## Polished Stainless Steel Hose Lock


Compression fitting to replace conventional hose clamps. Cleaner appearance and superior sealing performance.

### PCP Size

**73613** 1/4" (ea)

**73614** 5/16" (pr)

**73615** 5/16" For S&S Super E carb fitting (ea)



## Russell Streetflex Stainless Oil and Fuel Hose

Streetflex hose is engineered to replace stock OEM rubber hoses. Manufactured from superior quality CPE innerlined with a reinforced single wire outer braid for up to 250 P.S.I. Use econo-seal ends or hose clamps to attach to fittings.

<b>49850</b>	1/4"x3'
<b>49851</b>	5/16"x3'
<b>49853</b>	1/4"x6'
<b>49854</b>	5/16"x6'

**Warning: Not for use in brake systems.**

## Stainless Braided Gas Line Kit

Includes braided, covered line and econo seal chrome end clamps.

**77425** 2 Ft. of 5/16" w/4 clamps

**77420** 16" piece of 1/4" w/ 2 clamps





# S.S. Oil Line



## Stainless Steel Oil Line Kit

Kit includes 10 feet of stainless line and 6 chrome clamps.  
**77607**



## Sifton Braided Oil Line Kit Softails 92-99

Kit fits Softail models 92-99 and includes stainless lines, seals and hardware as shown.  
**77450**



## Chrome SS Oil Line Kit

Fits TC88 for custom applications. Includes 3 compression fittings and 3 seal ends. Hose must be cut for installation.  
**77609**



## Flex Chrome Hose Covering

Features heavy gauge mylar construction with chrome finish.

**PCP 25' Length**

**77459** 1/4"

**77460** 3/8"

**77461** 1/2"



## Compression Fitting and Hose Kit

Kit includes 6 compression fittings with 1/8" NPT threads and 10 ft of 3/8" stainless steel braided hose.  
**77458**



## T/L Chrome Oil Pressure Switch Cover

Fits Dyna 99-05, FLHR 99-03 & Electraglide Standard. \*Does not fit FLHT 99-03 models with oil temperature gauge kit.  
**64013\*** Replaces 66217-01



## Black 3/8" Braided Oil Hose

**PCP Length**

**77422** 10'

**77423** 25'



## Chrome Oil Hose Cover

For FLT Touring 02-06 and must be used with 02-on transmission interface cover. (Will not work with lifter block covers, or solenoid covers.)

**61090** 37961-02

# Oil Line/Accessories



## Stainless Steel Braided Hose

To fit 1/4" lines.

**77432** 10 foot roll

To fit 5/16 lines.

**77433** 5 foot roll

**77435** 25 foot roll



## Stainless Steel Braided Hose

To fit 3/8" lines.

**77430** 10 foot roll

**77431** 25 foot roll



## Reinforced Black Fuel/Oil Line

Neoprene fuel and oil line for all Harley models. Available in shop supply 25-foot rolls, this top quality line is reinforced with high strength rayon. Neoprene outer cover resists oil and grease for years of trouble-free service.

**3055** 1/4" x 25 feet

**3056** 5/16" x 25 feet


**3057** 3/8" x 25 feet



## Plain Finish Alloy Hose Clamp

Fits all 5/16" and 3/8" rubber oil-gas hose.

**2968** Each 5/8" I.D.



## Oil Tank Mounts

**PCP** Description

**23006** Heavy-duty (62563-65) (10 pk)

**1154** Regular (62563-65) (10 pk)

**23069** 5/16" x 1/4" unc XL (62569-94)



## Nylon Fuel Line

Sold in 25-foot rolls.

**3048** 1/4" x 25 feet

**3052** 5/16" x 25 feet

**3054** 3/8" x 25 feet



## Mini Hose Clamp

This quality clamp fits all 3/8" to 5/8" outside diameter hose. 10 Packs.

**3846** 3/8-5/8 Gas

**3850** 1/2-3/4 Oil

**16321** 3/16-5/16 (7/32" x 5/8")



## Econo-Seal Hose Ends

Reusable hose clamp fits all gas and oil lines to provide additional support and helps prevent cracking. The 5/16" ends fit 1/4" hose, 3/8" ends fit 5/16" and 3/8" hose.

**875** 1/4-5/16" chrome (6 pack)

**868** 5/16"-3/8" chrome (6 pack)



## TC Oil Line Retainers

Replace these retainers each time the oil line is removed to prevent leaking. For Twin Cam models. Pairs.

**PCP** Application

**71029** Oil line to engine (63632-00)

**71030** Oil line tank (63783-00)



## Oil Line To Frame Clamps


Allows 5/8" O.D. oil lines to be clamped to frame tubes. Chrome, sold each.

**PCP** Size

**27527** 1"

**27528** 1-1/8"

**27529** 1-1/4"



## Oil Line Separators

Use these separators to neatly separate and route any 3/8" or 5/16" braided or rubber oil line. Sold each.

**27520** Polished

**27521** Blue

**27522** Black

**27523** Chrome

**27524** Red

**27534** Chrome 3 hole




## Billet Oil Star Line Holder

Polished billet with tie wraps. Takes up to 3 oil lines and keeps them in one bundle. For 3/8" oil lines and sold each.

**71005**



# Fittings



## Chrome Male Fittings

Measured in NPT thread and ID of gas/oil line. 5 packs.

(A) Straight	(B) 90 Degree	Size
10504	10502	1/8 x 5/16 Hose
10505	10517	1/8 x 1/4 Hose
10575	10518	1/8 x 3/8 Hose
10506	10519	1/4 x 5/16 Hose

## Chrome Male-Female Fittings

PCP	Type	Size
10507	(C) 45 degree street elbow	1/8 x 1/8 NPT
10520	(D) 90 degree	1/8 x 1/8 NPT
10508	(E) straight	1/8 x 1/8 NPT

## Male Plugs (5 pack)

PCP	Size
4698	(F) 1/8 NPT, chrome
10514	(F) 1/4 NPT, plain



## Hose Clamps & Tool

OEM type clamp closing tool and clamps in bags of 10

PCP	Item	Use
5870	Tool	Crimping tool only (97087-65A)
16318		Plier and clamp assortment
16221	7/16-3/8	Oil hose (9996) .460
16222	1/2	Gasline (10014) .560
16223	19/32	Oil vent (10049) .640
16224	11/16	Oil fillter (10020A) .780
16241	1/4	Battery vent hose (10067) .240
16220	11/32	Battery vent (9992A) .340
16228	11/16	Feed drain (10080) .680
16225	13/16	Oil drain hose (10086) .820
16317	1/2	Cam cover fitting oil line vent (10117) .530
16298	13/16	Oil line (10142) .820



## Magnetic Drain Plugs

Prevents metal particles from circulating through engine and transmission cases, oil tanks, etc.

PCP	Size	Use
10610	3/8 x 24	BT Case plug 74 & 80 (not magnetic) (700)
10611	1/2 x 13	74 & XL Trans (707)
10615	1/4 x 18	NPT chain cover (718)
10612	5/8 x 18	Oil tank & time hole (720, 706A)
10616	5/8 x 18	FLT, FXR drain (722A)
10613	1/8 x 27	NPT 87-89 BT primary/trans FXST-FXR (734, 739A)
10619	1/8 x 27	NPT 90-03 BT trans FLST, FXST (739A)
10618	1/2 x 20	74 & 80 Inner primary (60348-65A)



## Oil Drain Plug

For 90-on Softails to seal oil hose.

10577	Fits 90-00 (62725-90)
10579	Fits 01-on (60328-98B)

## Oil Line Fitting

Features push in release button for installation 00-on. Each.

10570	(63783-00)
-------	------------

